INDEX TO VOLUME 70

New names and combinations are designated by **bold face** type.

Abies Fraseri 214; *grandis* 238, 240; *lasiocarpa* 473, 475, 477; *venusta* 23
Abuta barbata 403; *brevifolia* 404; *Candollii* 404; **Froesii** 404; *grandifolia* 403; *Grisebachii* 403, 404; *imene* 403; **negroënsis** 403; *obovata* 403; *panurensis* 403; *Pullei* 400; *rufescens* 403; *splendida* 404
Abutilon indicum 397
Acacia Farnesiana 540
Acantholimon glumacium 515
Acanthus montanus 515
Acer diabolicum 218; *floridanum* 218; *grandidentatum* 218; *leucoderme* 218; *macrophyllum* 238; *nigrum* 218; *pennsylvanicum* 221; *rubrum* 485, 486; *saccharum* 218; *spicatum* 221
Achillea lanulosa 477
Achras Sapota 515
Achromobacter cystinovorum 4; *guttatum* 4; *liquidum* 4
Aconitum noveboracense var. *quasiciliatum* 399
Actea alba 225; *spicata* 233
Actinomyces, A further note on the production of thiamine by 369
Actinomyces albididoflavus 370; *albosporeus* 370; *albus* 370; *annulatus* 370; *aureus* 370; *bobili* 370; *californicus* 370; *cellulosae* 370; *fimicarius* 370; *flavovirens* 370; *flavus* 370; *fradii* 370; *gougeroti* 369, 370; *griseolus*, 9; *holstedii* 370; *madurae* 370; *phaeochromogenus* 9; *purpeochromogenus* 370; *reticuli* 370; *scabies* 370; *violaceusruber* 370; *viridochromogenus* 369–371
Adiantum capillus-veneris 387; *cuneatum* 387
Adicea pumila 225
Aecidium dahliae 69; **dahliae-maxoni** 69; *elaeocarpi* 518; *elaeocarpicola* 518; *fuchsiae* 68; **hansfordii** 517, 520; *hypoestis* 517, 518; *incomparabile* 517; **lycianthis** 68; **magnipycnium** 518; **morobense** 518; **papuasicum** 519; *plectroniicola* 517; *puspa* 518, 519; **rutideae** 519; *talini* 68; *tracyanum* 76
Aegilops crassa 470; *triaristata* 470
Aesculus octandra 219–221
Ageratum conyzoides 395; *houstonianum* 395
Aglaia Archboldiana 542; **Parksii** 541, 542; vitiensis 542
Agropyron spicatum 477
Agrostis scabra 36, 37
Albizzia Lebbeck 540
Alcornea cordifolia 523
ALEXOPOULOS, CONST. J., AND J. ARTHUR HERRICK: A further note on the production of thiamine by *Actinomyces* 369
Allium cepa 175–181, 457, 458, c-mitosis in 459–461
Allophylus sublaxus 542, 543; *ternatus* 542; *timorensis* 543; **umbrinus** 543; *vitiensis* 543
Alnus rubra 238
Alopecurus pratensis 471
Alsine tennesseensis 222, 224
Alternanthera philoxeroides 481, 485–487
Ambrosia artemisiifolia 35–37
Amelanchier laevis 221
American Botanical Literature, Index to 82, 198, 325, 440, 550, 651
Amorpha fruticosa 486
Amorphophallus bulbifer 613, 614; *titanum* 612–614; The number of chromosomes in two species of 612
Amycelon radicans 120
ANDREWS, HENRY N., AND L. WAYNE LENZ: A mycorrhizome from the carboniferous of Illinois 120
Andropogon furcatus 36; *scoparius* 36, 38, 40
Andrurus vitiensis 534
ANDRUS, BASILIA, AND WILLIAM A. BECK: The osmotic quantities of the cells of *Helianthus annuus* seedlings 563
Anectochilus apiculatus 387; *sandvicensis* 388
Anemone quinquefolia 222, 224
Angiospora hiratsukae 528; *lenticularis* 69; *pallescens* 69; *zeae* 69
Anomospermum bolivianum 401; *chloranthum* 401; *Dielsianum* 401; **hirsutum** 401; *Schomburgkii* 401
Another driftless area endemic 398
Anthurium crassinervium 613; *radicans* 613; *Wallisii* 613
Antirrhinum majus 515
Apios tuberosa 485, 486
Aquilegia flavescens 475
Aralia spinosa 221
Araucaria bidwilli 23
Arenaria formosa 477; *marina* 388; *rubra* 388

Arisaema quinatum 224; *serratum* var. *Thunbergii* f. *Blumei* 613; *triphyllum* 225
Aristida basiramea 36–38
Aristolochia macrophylla 222
Arracacia bracteata 76; *xanthoriza* 76
Arthuria catenulata 519–521; **columbiana** 519–521
Aruncus sylvester 233
Arundinaria deflexa 302; *gigantea* 297, 298, 306, 307; *macrosperma* 297, 304–307; *tecta* 297, 298, 304–307
Arundinaria, A preliminary investigation of the North American Canes 297
Asahina's microchemical studies on the Cladoniae 139
Asarum canadense 514; *europaeum* 233
Asclepias exaltata 225; *tuberosa* 37
Aspergillus luchuensis 6; niger 6, 192; terreus 6, 8
Asperula odorata 233
Aspilia montevidensis 78
Aster acuminatus 222–224; *stenomeres* 477
Asterina ilicis 136, 137
Astragalus altaicus 434; *Beathii* 431; *bisulcatus* 431; *canadensis* 431, 433; *candidissimus* 434; *cañonis* 431, 433, 434; *Casei* 431; *confertiflorus*, 430, 431; *crassicarpus* 431; *Drummondii* 430, 431, 434; *Earlei* 430; *flavus* 430, 431; *Grayi* 430, 431, 433; *haydenianus* 431; *lentiginosus* var. *palans* 431; *limatus* 431, 433; *lonchocarpus* 431; *mollissimus* 430; *oocalycis* 431; *Osterhoutii* 431; *Pattersonii* 431; *pectinatus* 430, 431; *praclongus* 431; *Preussii* 431, 433; *pterocarpus* 431; *racemosus* 430, 431; *rafaelensis* 431; *sclerocarpus* 431, 432; *tetrapterus* 431; *toanus* 431, 433, 434
Astragalus, chromosomes of 430
Athrotaxis selaginoides 337–347
Athyrium asplenioides 223; *pycnocarpon* 223; *thelypteroides* 222, 223
Atropa belladonna 244–250
Avena elatior 470
Azolla caroliniana 387, 485, 486; *filiculoides* 387

Bacillus adhaerens 4; *agri* 4; *cereus* 4, 5; *fusiformis* 4; *megatherium* 4, 5; *mesentericus* 4, 5; *mycoides* 4, 5; *subtilis* 4, 5; *ubicuitarius* 4
Baccharis trinervis 74
Baeodromus holwayi 69
Baeomyces roseus 142
Baldwin, J. T., Jr.: Polyploidy in *Sedum pulchellum*—I. Cytogeography 26
Baptisia leucophaea 38, 40
Barnhart, John Hendley, Cornelia L. Carey, and Harold C. Bold: Tracy Elliot Hazen 559
Barringtonia petiolata 546
Batodendron arboreum 226
Bauhinia fassoglensis 530; *monandra* 541
Beard, Frances Clark: The germination capacity of maize pollen having aberrant nuclei 449
Beck, William A., and Basilia Andrus: The osmotic quantities of the cells of the hypocotyl of *Helianthus annuus* seedlings 563
Beetle, Alan A.: The North American variations of *Distichlis spicata* 638
Belladonna, Phytophthora rot of 244
Benzoin aestivale 513
Berberis fascicularis 70, 74
Berchemia crenulata 544; *Fournieri* 544
Berger, C. A., and E. R. Witkus: A cytological study of c-mitosis in the polysomatic plant *Spinacia oleracea*, with comparative observations on *Allium cepa* 457
Betula alleghenicnsis 220, 221; *lenta* 221; *papyrifera* 513
Bicuculla canadensis 223, 224; *cucullaria* 223, 225
Bidens laevis 485, 486
Bleekeria elliptica 549; **vitiensis** 549
Blephilia hirsuta 225
Bloch, Robert: Differentiation in red root-tips of *Phalaris arundinacea* 182
Bold, Harold C., Cornelia L. Carey, and John Hendley Barnhart: Tracy Elliot Hazen 559
Boehmeria cylindrica 485, 486
Bonner, James: Further experiments on the nutrition of isolated tomato roots 184
Botanical Literature, Index to American 82, 198, 325, 440, 550, 651
Botrychium dissectum 223; *obliquum* 223; *virginianum* 223
Bouteloua gracilis 471
Brachyphragma Serenoi 433
Brassavola nodosa 105, 106
Brizopyrum boreale 643; *spicatum* var. *strictum* 645
Bromus Beneckenii 233; *inermis*, Morphological variation and cytology of 467–471
Broussonetia papyrifera 513
Brunonia australis 515
Bubakia argentinensis 521; *crotonis* 521, 525; *ehertiae* 521; *erythroxylonis* 521; *mexicana* 69

Buddleia officinalis 515
Buckleya distichophylla 227
BUNZELL, H. H.: A new constituent in wheat germ oil 599
BURKHOLDER, PAUL R., AND DOROTHY MOYER: Vitamin deficiencies of fifty yeasts and molds 372

CAIN, STANLEY A.: The tertiary character of the cove hardwood forests of the Great Smoky Mountains National Park 213
Calliandra conzattiana 80
Callistemon speciosus 501
Calliospora diphysae 81
Calopogon pulchellus, the morphology and anatomy of 349
Calopogonium galactioides 80
Calycanthus floridus 513
Calyptridium umbellatum 63
Campanula rotundifolia 515
Campanulastrum americanum 225
Camptothecium woldenii 130
Campylium stellatum 130
Canavalia villosa 73
Candida albicans 373, 375; *chalmersi* 373; *chevalieri* 373, 375; *deformans* 373, 375; *flareri* 373; *mycotoruloidea* 373; *parakrusei* 373; *stellatoidea* 373; *zeylanoides* 373, 375
Carex austro-caroliniana 224; *digitata* 233; *flexuosa* 224; *geyeri* 477; *Howei* 486; *pennsylvanica* 36–38, 40, 225; *plantaginea* 224; *prasina* 225; *stellata* 225
CAREY, CORNELIA L., HAROLD C. BOLD, AND JOHN HENDLEY BARNHART: Tracy Elliot Hazen 559
Carica papaya 116
CARLSON, MARGERY C.: The morphology and anatomy of *Calopogon pulchellus* 349
Carpinus caroliniana 226; *grandis* 226
Cassia Tora 226; *toraformis* 226
Castanea claibornensis 226; *dentata* 221, 226; *mollissima* 513
Cattleya, growth of fruits in, and allied genera in the Orchidaceae 104; *amethystoglossa* 105–107, 110; *bicolor* 105; *bowringiana* 105–108, 110, 116, 117; *granulosa* 105–107, 110, 115; *guttata* 105; *intermedia* 105; *labiata* 105, 110; var. *mossiae* 104; *loddigesii* 105–107, 110; *luteola* 105; *skinneri* 105; *trianaei* 105, 106, 108–116, 118
Caulophyllum robustum 227; *thalictroides* 224, 227
Celastrus angulata 500; *orbiculata* 500–507; *scandens* 436, 500, 505–507
Celtis Harperi 535–537; *occidentalis* 226; *paniculata* 536; **vitiensis** 536, 537
Cenchrus ciliaris 527; *pauciflorus* 35–37
Cephalanthus occidentalis 486
Cerastium arvense 514
Ceratostomella fimbriata 191, 192; *ips* 191, 192; *microspora* 191, 192; *montium* 191, 192; *obscura* 191, 192; *paradoxa* 191; *penicillata* 191, 192; *piceaperda* 191, 192; *pini* 191, 192, 194; *radicicola* 191–194; *stenoceras* 191, 192, 195
Cercis canadensis 226; *wilcoxiana* 226
Cerotelium daedaloides 520–522; *fici* 70, 79; *morobeanum* 522
Chaetomium murorum 6
Chalara mycoderma 373, 375
Chalaropsis thielavioides 191, 192
CHANDLER, CLYDE: Number of chromosomes in two species of *Amorphophallus* 612
Cheilanthes gracillima 475
Chondodendron candicans 400; *limaciifolium* 401; *platiphyllum* 400; *tomentosum* 400; *toxicoferum* 401
Chondrophora nudata 61; *virgata* 61
Chromosomes of *Astragalus* 430
Chrosperma muscaetoxicum 225
CHRYSLER, M. A., AND W. G. MCINTYRE: The morphological nature of the phytosynthetic organs of *Orchyllium Endresii* as indicated by their vascular structure 252
Chrysomyxa pyrolae 70
Cicuta Curtissii 486
Cimicifuga americana 224
Circaea latifolia 225
Cissus quadrangularis 527
Cladonia alpestris 149; var. *aberrans* 147; *alpicola* 147; *amaurocraea* 142, 149; *bacillaris* 142, 149; *bellidiflora* 147, 149; *borbonica* 145; *Boryi* 149; *caespiticia* 141, 145, 147; *calycantha* 139, 145; *cariosa* 141; *caroliniana* 149; *cenotea* 147; *chlorophaea* 139, 143, 145; *clavulifera* 145; *coccifera* 142, 149; *coniocraea* 145; *conista* 145; *cornutoradiata* 145; *crispata* 157; *cristatella* 142, 144, 149; *cryptochlorophaea* 143, 145; *cyanipes* 149; *deformis* 143, 149, 150; *delicata* 147, 148; *destricta* 150; *didyma* 142, 144; *digitata* 143, 148; *endoxantha* 143, 148; *Evansii* 141, 146; *fimbriata* 145, 150; *Floerkeana* 142, 149; *furcata* 141, 145; *glauca* 147; *gonecha* 143, 147, 149; *gracilis* 145; var. *elongata* 141; *Grayi* 145; *impexa* 146, 147; *incrassata* 143, 144, 147, 149; *leporina* 143, 144, 149; *macilenta* 142, 143, 148; *major* 141, 145,

150; *mateocyatha* 145; *merochlorophaea* 145, 146; *mitis* 149, 150; *mitrula* 145; *multiformis* 145; *nemoxyna* 145; *papillaria* 141; *persquamulosa* 148; *pityrea* 145; *pleurota* 143, 149, 150; *polydactyla* 143, 148; *pyxidata* 145; *rangiferina* 141, 145; *rangiformis* 141, 150; *Ravenelii* 148; *santensis* 148; *scabriuscula* 145; *squamosa* 147; *strepsilis* 142, 147, 148; *subcariosa* 146; *subsquamosa* 148; *sylvatica* 145, 149; *symphycarpia* 141; *tenuis* 145, 149; *uncialis* 149; *verticillata* 139, 145, 150; *vulcanica* 144

Cladoniae, Asahina's microchemical studies on the 139

Cladrastis lutea 221

CLAUSEN, ROBERT T.: The section *Sedastrum* of *Sedum* 289

Claytonia virginica 223, 224

Clethra alnifolia 515

Clintonia borealis 225

Clitoria ternatea 513

Cnemidophacos confertiflorus 433; *flavus* 433; *Grayi* 433; *pectinatus* 433; *rafaelensis* 433; *toanus* 433

Cocculus cinerascens 400

Cogswellia ambigua 60

Colchicinized onion root-tips, metaphase in 175, 459

Collinsonia canadensis 225

Colubrina asiatica 545; *ferruginosa* 79; *papuana* 545; *vitiensis* 544, 545

Commelinia angustifolia 398; *erecta* var. *angustifolia* 398; f. *crispa* 398; var. *Deamiana* 398; var. **Greenei** 398; var. *typica* 398; f. *intercursa* 398

Concept of inflorescence 496

CONSTANCE, LINCOLN, AND MILDRED E. MATHIAS: New North American Umbelliferae—II 58

Conyza absinthiaefolia 629, 631; **araneosa** 632; **bonariensis** 632; **canadensis** 632; **confusa** 632; *Coulteri* 630; *divaricata* 632; **eriophylla** 632; *gnaphalioides* 630, 632; **microglossa** 632; *mima* 630; *notobellidiastrum* 631; **parva** 632; *pusilla* 632; **ramosissima** 632; **Schiedeana** 532; *spathulata* 632; **subspathulata** 632

Conyza, the separation of *Erigeron* from 629

Coprosma elliptica 393; *longifolia* 394; var. **longifolia** 394; var. **oppositifolia** 394; *molokaiensis* 394; *montana* 393; var. *crassa* 393; *ochracea* var. *kaalae* 394; var. *typica* 393

Coreopsis palmata 36, 37

Cornus canadensis 492; *florida* 492; *mas* 514

Corylus americana 40

Coryne sarcoides 372, 374, 376

Crataegus cris-galli 490; var. *danielsii* 491, 493; f. *vulgaris* 491; *mollis* 491; *pruinosa* 490, 492, 493, 495; f. *puberula* 491

Crataegus, the inflorescence of 489

CROIZAT, LEON: The concept of inflorescence 496; What is the trinomial typicus?—I 310; II 406

CRONQUIST, ARTHUR: The North American species of *Erigeron* centering about *E. speciosus* (Lindl.) DC. and *E. glabellus* Nutt. 265; The separation of *Erigeron* from *Conyza* 629

CROSS, G. L.: The shoot apices of *Athrotaxis* and *Taiwania* 335

Crossing-over and second division segregation in fungi 605

Croton ciliato-glandulosa 70; *calvescens* 70; *draco* 69; *gossypifolius* 521; *hirtus* 521; *monanthogynus* 521; *payaquensis* 69

Cryptogramma acrostichoides 475

Cryptomeria japonica 23

Cryptotaenia canadensis 225; *japonica* 336

CUMMINS, GEORGE B.: Descriptions of tropical rusts—V 68; VI 517

Cumminsiella standleyana 70

Cunninghamia lanceolata 20, 336

CURTIS, JOHN T., AND ROBERT E. DUNCAN: Growth of fruits in *Cattleya* and allied genera in the Orchidaceae 104

Cuscuta approximata var. *episonchum* 67; var. *leucosphaera* 67; var. **Webbii** 67; *australis* var. **breviflora** 66; var. *Tinei* 66; *Balansae* 67; var. *socotrensis* 67; *brachycalyx* 67; *capillaris* 67; var. **syriana** 67; *compacta* var. *efimbriata* 65; *cordofana* 67; *corymbosa* var. *stylosa* 67; *decora* 62; var. *indecora* 62; var. *pulcherrima* 62; *denticulata* 64; *Epithymum* var. *alba* 67; var. *angustata* 67; var. *angustissima* 67; *Flossdorfii* 66; *foetida* var. *pycnantha* 67; *formosana* 66; *grandiflora* 65; *Gronovii* 64, 65; var. *curta* 65; var. *latiflora* 64; var. *Saururi* 64; *Harperi* 61; *hispidula* 62; *indecora* 62, 63; var. *neuropetala* 62; *japonica* 66; var. *formosana* 66; var. *thyrsoidea* 66; *megalocarpa* 65; *micrantha* 62; *neuropetala* 62; var. *littoralis* 62; *nevadensis* 63, 64; *palaestina* 67; var. *syriana* 67; *pauciflora* 62; *planiflora* var. *Godronii* 67; var. **subpapillosa** 67; *potosina* 67; var. *globifera* 67; *pulcherrima* 62, 63; *pusilla* 62; *racemosa* var. *miniata* 66; var. *minuta* 66; *reflexa* var. *anguina* 67; var. *brachystigma* 66;

saccharata 67; *salina* 64; var. *apoda* 63; *Suksdorfii* 63; *umbrosa* 65; *Veatchii* 64; var. *apoda* 63; *xanthochortos* var. *carinata* 67
Cuscuta, Nomenclatorial changes in the genus, and notes on some American species 61
Cycas revoluta 23
Cymophyllus Fraseri 225
Cynoxylon floridum 221
Cyperus filiculmis var. *macilentus* 36; *melanostachyus* 80; *rotundus* 397; *schweinitzi* 36
Cypripedium parviflorum 351
Cystopteris fragilis 223
Cytological study of e-mitosis in the polysomatic plant *Spinacia oleracea*, with comparative observations on *Allium cepa* 457

Dacrydium lycopodioides 533
Dactylis glomerata 470
Dahlia maxonii 69
Dallachya vitiensis 544
DAUBENMIRE, R. F., AND A. W. SLIPP: Plant succession on talus slopes in northern Idaho as influenced by slope exposure 473
Decodon verticillatus 485, 486
Deeringia celosioides 514
Degeneria vitiensis 537
Dentaria diphylla 222, 224
Desmodium illinoense 35, 38
Descriptions of tropical rusts—V 68; VI 517
Dicotyledones, Flower forms and groups of 510
Didymium nigripes 161
Digitaria pruriens 534; *scalarum* 526
Differentiation in red root-tips of *Phalaris arundinacea* 182
Diholcos bisulcatus 432; *haydenianus* 432; *oocalycis* 432
Diphylleia cymosa 225
Diphysa floribunda 81
Diospyros virginiana 226, 515; *wilcoxiana* 226
Discocalyx multiflora 547; **sylvestris** 547
Disporum lanuginosum 224
Distichlis ammobia 649; *araucana* 649; *condensata* 649; *dentata* 53–56, 639, 642, 646, 649; *distichophylla* 638, 649; *hirta* 649; *humilis* 649; *laxiflora* 649; *marginata* 649; *maritima* 638, 640, 649; var. *laxa* 640, 649; var. *stricta* 640, 649; *mendocina* 649; *misera* 649; *multinervosa* 649; *nodosa* 638, 649; *palmeri* 649; *prostrata* 640, 649; *scoparia* 638, 649; *spicata* 53, 638–649; var. **borealis** 641–645, 649; var. **divaricata** 641, 643, 646, 647, 649; var. *humilis* 639, 649; var. *laxa* 649; var. *marginata* 639, 649; var. *mendocina* 649; var. **mexicana** 641–643, 648, 649; var. **nana** 641–643, 646, 647, 649; var. *stolonifera* 641–643, 645, 646, 649; var. **stricta** 641–643, 645, 646, 649; var. *thalassica* 640, 649; *stricta* 53–56, 638, 639, 649; var. *laxa* 649; *tenuifolia* 649; *texana* 638, 649; *thalassica* 649; var. *mendocina* 649; *viridis* 649; *volckmanni* 649
Distichlis spicata, The North American variations of 638
DODD, JOHN D., AND ALEXANDER GERSHOY: Experiments in the grafting of species in the genus *Viola* 91
Drosera rotundifolia 236
Dryopteris dilatata 223; *hexagonopter* 223; *intermedia* 222, 223; *marginalis* 223; *noveboracense* 223
Dubautia linearis 396; *lonchophylla* 396; *reticulata* 396; **sherffiana** 395–397
Dulichium arundinaceum 237
DUNCAN, ROBERT E., AND JOHN T. CURTIS: Growth of fruits in *Cattleya* and allied genera in the Orchidaceae 104
DWYER, JOHN D.: *Kaieteurea*, a new genus of the Ochnaceae 50; Taxonomy of the monogeneric tribe Elvasieae (Ochnaceae) 42
Dyschoriste quadrangularis 76

Eleocharis acicularis 237; *ochreata* 486
Elephantopus mollis 395; *spicatus* 395; *tomentosus* 395
Eleutheranthera ruderalis 77, 78
Elvasia brevipedicellata 44, 47; *calophyllea* 42, 43, 45, 46; *cancscens* 44, 46, 47; *carunensis* 42, 44, 48; *elvasioides* 44, 48; *essequibensis* 44, 47; *Hostmannia* 48; *quinqueloba* 44, 45; *schomburgki* 45; *sprucei* 45
Elvasieae, Taxonomy of the monogeneric tribe 42
Endoconidiophora paradoxa 191–194
Epacris obtusifolia 515
Ephedra altissima Desf., Structure and development of the shoot apex of 15
Ephedra altissima 15–24; *campylopoda* 17; *monostachya* 16; *vulgaris* 16
Epidendrum ciliare 105–107, 113; var. *latifolia* 112; *cochleatum* 105; var. *triandrum* 106, 107, 110–115; *tampense* 105, 106, 115

Epipactis palustris 349
Eragrostis macilenta 528; *unioloides* 534
Erechtites hieracifolia 486
Erianthus giganteus 486
Erica cinerea 515
Erigeron abruptorum 274; *acris* 630; *alpinus* 629, 630; *anicularum* 273; var. *latiusculus* 273; *anodontus* 274; *apiculatus* 267; *arancosus* 632; *asper* var. *appressus* 273; var. *subinteger* 274; *Bakeri* 271; *bonariensis* 632; *canadensis* 35, 36, 38, 630, 632; *consobrinus* 274; *conspicuus* 271; *divaricatus* 632; *Drummondii* 274; *Earlei* 274; *eldensis* 267; *eriophyllus* 632; *eucephaloides* 269; *eximius* 268, 272; *fraternus* 274; *foliosissimus* 269; *formosissimus* 266, 267, 272; *var.* **typicus** 272, 273; var. **viscidus** 268, 272; *fruticetorum* 272; *glabellus* 265–267, 271, 273, 274; subsp. **pubescens** 273, 274; subsp. **typicus** 273, 274; *gnaphalioides* 630, 632; *grandiflorus* 272; *Gulielmi* 272; *hirtuosus* 272; *incanescens* 271; *iodanthus* 272; *leiophyllus* 269; *macranthus* 269, 270; subsp. *mirus* 267; *microglossis* 630, 632; multicolor 273; *oblanceolatus* 273; *obscurus* 273; *oligodontus* 274; var. *acuminatus* 273; *oxyodontus* 274; *patens* 269, 270; *peregrinus* 632; *platyphyllus* 267, 269–271; *procerus* 274; *pusillus* 632; *rubicundus* 272; *rudis* 269; *salicinus* 268; *scaberulus* 272; *Schiedeanus* 630, 632; *semirasus* 269; *simplex* 629; *Smithii* 272; *spathulatus* 633; *speciosus* 265–270; var. **macranthus** 269, 270; var. **typicus** 268; *subasper* 272; *subcostatus* 273; *subspicatus* 630; *subtrinervis* 266, 267, 271, 272; subsp. **conspicuus** 271; subsp. **typicus** 271; *superbus* 266–268, 272; **uintahensis** 267, 270; *uniflorus* 629, 630; *villosulus* 271; *viscidus* 270, 272; *Vreelandii* 269, 270
Erigeron, The North American species of, centering about *E. speciosus* 265; The separation of, from *Conyza* 629
Eriogonum subalpinum 473, 477
Eriophorum chamissonis 236
Erysiphe graminis tritici, Influence of temperature on the infection of wheat by 378
Erythrina amazonica 635; *americana* 636; *Berteroana* 79, 635; *breviflora* 634; *Corallodendrum* var. *bicolor* 635; *costaricensis* 637; *crista-galli* 634; *cubensis* 635; *Dominguezii* 634; *edulis* 634; *falcata* 634; *flabelliformis* 635; *gibbosa* 636; *glauca* 633; *guatemalensis* 636; *herbacea* 635; *lanata* 635; *lanceolata* 636; *leptorhiza* 635; *macrophylla* 637; *mexicana* 635; *mitis* 635; *montana* 635; *pallida* 635; *panamensis* 637; *Poeppigiana* 634; *rubinervia* 636; *speciosa* 634; *Standleyana* 636; *velutina* 637; *verna* 634
Erythrina, Supplementary notes on the American species of—II 633
Erythronium americanum 222–224
Eulalia fulva 529
Euonymus americanus 222; *obovatus* 222; *yedoensis* 514
Eupatorium leptophyllum 486; *purpureum* 486; *urticaefolium* 222–224
Euphorbia corollata 36–38, 40; *maculata* 36
Euchlaena mexicana 69
EVANS, ALEXANDER W.: Asahina's microchemical studies on the Cladoniae 139
Excavatia elliptica 549; *vitiensis* 549
Experiments in the grafting of species in the genus *Viola* 91

Fagus grandifolia 220, 221
FASSETT, NORMAN C.: Another driftless endemic 398
Festuca distichophylla 649; *idahoensis* 477; *ovina* 470; *pratensis* 470, 471; *triticea* 649
Fevillea trilobata 515
Ficus involuta 79
Flavobacterium devorans 4; *fuscum* 4; *lacunatum* 4; *sulfureum* 4
Flower forms and groups of Dicotyledones 510
Floating mats on a southeastern coastal plain reservoir 481
Fomes annosus 372, 374, 376
Forsythia intermedia 515
Fouquieria splendens 515
FOSBERG, F. R.: Notes on plants of the Pacific Islands—III 386
Frankenia Jamesii 514
Franklinia alatamaha 514
Fraxinus americana 221
Fuchsia minutiflora 68; *speciosa* 514
Fuirena incompleta 76
Fuligo septica 156, 161
Further experiments on the nutrition of isolated tomato roots 184
Further note on the production of thiamine by *Actinomyces* 369
Fusarium reticulatum 8

Galium aparine 225; *circaezans* 225; *tinctorium* 486; *triflorum* 224
Gaultheria shallon 236

GELBER, SIDNEY, AND MICHAEL LEVINE: Metaphase stage in colchicinized onion root tips 175
Geoprumnon crassicarpum 433
Genus *Stachyurus* 615
Gentiana macrophylla 515
Geranium maculatum 225
Germination capacity of maize pollen having aberrant nuclei 449
GERSHOY, ALEXANDER, AND JOHN D. DODD: Experiments in the grafting of species in the genus *Viola* 91
Geum canadense 225
GIFFORD, ERNEST M.: Structure and development of the shoot apex of *Ephedra altissima* Desf. 15
GILLY, CHARLES: A preliminary investigation of the North American canes (*Arundinaria*) 297
Ginkgo biloba 18
GLEASON, H. A., AND J. H. PIERCE: Two new species of *Hypericum* from Colombia 174
Globifera umbrosa 486
Glycine Apios 225
Goodenia ovata 515
Gouldia hillebrandii var. *nodosa* 393; var. *typica* 393; *st.-johnii* var. *munroi* 390, 391; var. *typica* 390; *terminalis* var. *bobeoides* 390; var. *cordata* f. *eucordata* 391; f. *santalifolia* 391; var. *kapuaensis* f. *pittosporoides* 392; f. **violetae** 392; var. *lanai* 390; var. *macrocarpa* f. *cuneata* 392; *f. sclerophylla* 392; var. *osteocarpa* 392; var. *ovata* 391, 392; f. *euovata* 391; f. **obovata** 391; var. *parvula* f. *euparvifolia* 392; f. **impressa** 391; f. *subpilosa* 392; var. *pubescens* 392; var. *pseudodichotoma* 390, 391; var. *subcordata* 390, 391
Grossularia Cynosbati 222
Growth of fruits in *Cattleya* and allied genera in the Orchidaceae 104
GUNDERSEN, ALFRED: Flower forms and groups of Dicotyledones 510
Gymnolomia subflexuosa 78
Gymnosporangium guatemalianum 71; *meridissimum* 71; *speciosum* 70, 71, 77
Gynandropsis speciosa 540

Habenaria repens 485, 486
Halesia monticola 219, 220, 221
Hamamelis virginiana 221
HANSEN, HENRY P.: A pollen study of two bogs on Orcas Island, of the San Juan Islands, Washington 236
Hansenula suaveolens 373
Harungana madagascarensis 522
Hazen, Tracy Elliot 559
Hedeoma pulegioides 37
Hedychium coronarium 535
Helianthemum canum 514
Helianthus annuus 563–596; *longifolius* 61; *occidentalis* 35–38
Helianthus annuus seedlings, Osmotic quantities of the cells of 563
Hemileia harunganae 522; **rutideae** 522
Hemitrichia vesparium 152–162; Observations on the culture of 152
Hepatica americana 226; *triloba* 226
HERRICK, J. ARTHUR, AND CONST. J. ALEXOPOULOS: A further note on the production of thiamine by *Actinomyces* 369
Heuchera americana 225
Hicoria aquatica 226; *cordiformis* 221; *glabra* 226; *jacksoniana* 226; *pecan* 226
Hibiscus oculiroseus 486; *tiliaceus* 397
Hieracium albertinum 477; *longipilum* 36, 38
Holodiscus, A taxonomic revision of the genus, (Rosaceae) 275
Holodiscus argenteus 276, 277, 278, 285, 286; var. **alpestris** 286, 288; var. *bifrons* 285; var. **Matudai** 286; var. **typicus** 286, 288; var. **velutinus** 286; *australis* 276, 281; *Boursieri* 277, 282, 286; *discolor* 276, 277, 278; var. **delnortensis** 277, 278, 280, 286; var. *dumosus* 281; var. *franciscanus* 278, 279, 280, 286; var. *glabrescens* 284; var. *microphyllus* 283; var. **typicus** 278, 279, 286; *dumosus* 276, 277, 280; var. **australis** 281, 286; var. **Schaffneri** 281, 288; var. **typicus** 280, 281, 286; *fissus* 276, 278, 284, 286; *franciscana* 279; *glabrescens* 284; *Loesceneri* 285; *microphyllus* 277, 283, 286; var. **glabrescens** 283; var. **sericeus** 283; var. **typicus**, 283, 284; **orizabae** 278, 284, 286, 288; *pachydiscus*, 277, 282, 286, 288; *saxicola* 282; *Schaffneri* 281; *velutinus* 286
Homalobus podocarpus 432
Hormodendron pedrosoi 376
Hostmannia elvasioides 48; *essequibensis* 47; *Sagoti* 48, 49
Houstonia purpurea 225
HUI-LIN LI: The genus *Stachyurus* 615
HUNT, KENNETH W.: Floating mats on a southeastern coastal plain reservoir 481
Hydrangea arborescens 222
Hydrocotyle ranunculoides 485, 486; *umbellata* 486
Hydrophyllum canadense 224

Hymenostephium cordatum 78
Hypericum chamaemyrtus 174; **cuatrecasii** 174; **garciae** 174; *petiolatum* 486; *virginicum* 486
Hypericum, two new species of, from Colombia 174
Hystrix Hystrix 225

Iboza riparia 515
Ilex opaca 221; *monticola* 221
Impatiens pallida 223, 224
Index to American Botanical Literature 82, 198, 325, 440, 550, 651
Inflorescence of *Crataegus* 489
Inflorescence, the concept of 496
Influence of temperature on the infection of wheat by the powdery mildew, *Erysiphe graminus tritici* 378
Injuries to trees caused by *Celastrus* and *Vitis* 436
Ipomoea sagittata 486; *tricolor* 515
Ischaemum timorense 534

Joncsiella Pattersoni 433; *praelonga* 433
Juglans Sieboldiana 513
Juncoides bulbosum 225; *saltuense* 225
Juncus tenuis 225
Juniperus mexicana 70, 77
Jussiaea grandiflora 483–487

Kaieteurea, a new genus of the Ochnaceae 50
Kaieteurea 50; **gillyana** 51
Kermadecia ferruginea 537
KNOBLOCH, IRVING WILLIAM: Morphological variation and cytology of *Bromus inermis* 467
Koeleria cristata 40
Koelreuteria paniculata 514
Kosteletzkya virginica 485, 486
KRUKOFF, B. A.: Supplementary notes on the American species of *Erythrina*—II 633
KRUKOFF, B. A., AND H. N. MOLDENKE: Supplementary notes on American Menispermaceae—III 400
Kuehnicola arthuri 71; **guatemalensis** 71; *harrisoniae* 74; *fici* 79

Laciniaria microcephala 61
Laelia gouldiana 105; *purpurata* 105; *tenebrosa* 105, 106, 108, 110, 115, 119; *xanthina* 105, 115
Ledum groenlandicum 236
LANZ, L. WAYNE, AND HENRY N. ANDREWS: A Mycorrhizome from the carboniferous in Illinois 120
Lenzites betulina 372, 376
Lepidium apetalum 35, 36
Leptoloma cognatum 35, 36
Leptotes bicolor 105, 106
Leucaena glauca 397
Lespedeza capitata 36, 37, 38, 40
LEVINE, MICHAEL, AND SIDNEY GELBER: Metaphase stage in colchicinized onion root tips 175
LEY, ARLINE: A taxonomic revision of the genus *Holodiscus* (Rosaceae) 275
Liatris scariosa 36, 38, 40
Lilium superbum 225
Limnobium Spongia 485, 486
Linnaea borealis americana 236
Linociera Gillespiei 548, 549; *pauciflora* 548; *ramiflora* 548; *sessiliflora* 548; **vitiensis** 548, 549
Lippia myriocephala 74; *pringlei* 74
Liquidambar styraciflua 513
Liriodendron chinense 227; *tulipifera*, 219–221, 227, 437; *tulipifera* var. *chinense* 227
Literature, Index to American Botanical 82, 198, 325, 440, 550, 651
Lithospermum gmelini 37, 38
Lobaria pulmonaria 146, 147
Lomatium ambiguum 60; **idahoense** 58; *laevigatum* 59; **Rollinsii** 59
Lonchocarpus michelianus 78; *rugosus* 78; *nitidis* 78
Lonchophaca macrocarpa 433; *Osterhoutii* 433
Ludwigia alata 486
Lupinus perennis var. *occidentalis* 38
LUTZ, H. J.: Injuries to trees caused by *Celastrus* and *Vitis* 436
Lycianthes quichensis 68
Lycopersicon esculentum 116, 184, 189
Lycopodium lucidulum 223
Lycopus rubellus 486
Lygodium japonicum 387
Lysimachia quadrifolia 225

MA, ROBERTA, AND WILLIAM J. ROBBINS: Relation of certain fungi to thiamine 190
Macrosporogenesis, fertilization, and early embryology of *Taraxacum kok-saghyz* 164
Mainsia holwayi 73; *peruvianum* 73; **standleyi** 71, 72, 73
Maize pollen, germination of 449
Magnolia Fraseri 219, 221; *parviflora* 513
Malachra alceifolia 389; *rotundifolia* 389
Malus angustifolia 419–424, 428, 429; *coronaria* 419–424, 428; *florentina* 419;

glabrata 423, 424, 428; *platycarpa* 419–429; var. *Hoopesii* 426, 429; *sylvestris* 420
Manisuris altissima 528; *fasciculata* 528; *granularis* 528
MATHIAS, MILDRED E., AND LINCOLN CONSTANCE: New North American Umbelliferae—II 58
Maurandya erubescens 389; *scandens* 389
MCINTYRE, W. G., AND M. A. CHRYSLER: The morphological nature of the photosynthetic organs of *Orchyllium Endresii*, as indicated by their vascular structure 252
MCVAUGH, ROGERS: The status of certain anomalous native crabapples in eastern United States 418
Medeola virginiana 224
Megastachya condensatum 649
Meibomia nudiflora 225
Melinis maitlandi 528; *minutiflora* 528
Menispermaceae, supplementary notes on American 400
Menispermum dahuricum 513
Menyanthes trifoliata 237
Menziesia ferruginea 473, 475
Mesembryanthemum cordifolium 514
Metaphase stage in colchicinized onion root tips 175
Micranthes micranthidifolia 225
Microbiology of the upper air 1
Micrococcus aurantiacus 4; *candicans* 4; *candidus* 5; *conglomeratus* 4, 5; *corallinus* 4, 5; *flavus* 4, 5; *freudenreichii* 4; *luteus* 4; *perflavus* 4, 5; *rosaceus* 4; *subcitreus* 4
Microthyrites dysodilis 136
MIDDLETON, JOHN T.: Phytophthora rot of Belladonna 244
Miegia pumila 307
Mikania scandens 485, 486
Mimosa invisa 540, 541
Mitchella repens 224
Mitella diphylla 225
MOLDENKE, H. N., AND B. A. KRUKOFF: Supplementary notes on American Menispermaceae—III 400
Mollugo verticillata 35–37
Monarda didyma 223, 224
Monilia albicans 373; *metalondinensis* 373
Monotropa uniflora 225
Morphological nature of the photosynthetic organs of *Orchyllium Endresii* as indicated by their vascular structure 252
Morphological variation and cytology of *Bromus inermis* 467
Morphology and anatomy of *Calopogon pulchellus* 349
Morus insignis 70
MOYER, DOROTHY, AND PAUL R. BURKHOLDER: Vitamin deficiencies of fifty yeasts and molds 372
Mucor ramanianus 6, 190–196
Muehlenbeckia tamnifolia 80
Mycoderma lafarii 373; *vini* 373, 375
Mycorrhizome from the carboniferous of Illinois 120
Myosotis alpestris 515
Myrica asplenifolia 36–38, 40; *cerifera* 485, 486
Myristica macrantha 540
Myrtus communis 514; *nummularia* 62

Najas flexilis 127
NAUSS, RUTH N.: Observations on the culture of *Hemitrichia vesparium*, with special reference to its black plasmodial color 152
Nephrolepis biserrata 386, 387; var. *fulcans* 386; *cordifolia* 386, 387; *exaltata* 387; *hirsutula* 387
Nerium oleander 515
Neurospora 605; *crassa* 610; *sitophila* 610
New constituent in wheat germ oil 599
New North American Umbelliferae—II 58
New Species of *Sphaeralcea* from New Mexico 531
Nomenclatural changes in the genus *Cuscuta*, and notes on some American species 61
North American species of *Erigeron* centering about *E. speciosus* (Lindl.) DC. and *E. glabellus* Nutt. 265
North American variations of *Distichlis spicata* 638
Notes on plants of the Pacific Islands—III 386
Number of chromosomes in two species of *Amorphophallus* 612
Nymphaea candida 513
Nyssa biflora 226

Observations on the culture of *Hemitrichia vesparium* with special reference to its black plasmodial color 152
Ochrosia elliptica 549
Oenothera biennis 35, 37; *rhombipetala* 35
Oncidium longipes 112
Opuntia fragilis 238; *stricta* 514
Orchyllium Endresii 252–260
Orchyllium Endresii, the morphological nature of the photosynthetic organs of, as indicated by their vascular structure 252
Osmorrhiza Claytoni 224

Osmotic quantities of the cells in the hypocotyl of *Helianthus annuus* seedlings 563
Osmunda cinnamomea 223; *regalis* 486
Oxalis Acetosella 226; *montana* 224, 226
Oxydendrum arboreum 221
Oxytropis pinetorum 430

Pachyrhizus angulatus 541; *trilobus* 541
Padus virginiana 221
Panax trifolium 223, 224
Panicum albemarlense 35; *arundinariae* 69; *depauperatum* 36; *virgatum* 485, 486
Parmelia acetabulum 146; *cetrarioides* var. *typica* 147
Parthenocissus quinquefolia 222
Paspalum distichum 534
Passiflora alato-caerulea 514
Pellea atropurpurea 398, 399; *glabella* 399
Pentstemon fruticosus 475
Pentas carnea 515
Peramium ophioides 225
Periploca graeca 515
Persea pubescens 485, 486
Phaca Preussii 430, 433; *crotalariae* 433
Phacelia fimbriata 223, 225
Phakospora columbiana 519, 520; *crotonis* 521; **hansfordii** 523, 525; *meibomiae* 523; *pachyrhizi* 73, 523; *vignae* 73, 523
Phalaris arundinacea, differentiation in red root-tips of 182, 183
Phaseolus lathyroides 397; *lunatus* 523; *macrolepis* 73; *vulgaris* 263
Phialophora verrucosa 376
Phlox paniculata 515; *stolonifera* 224
Phleum alpina 470; *pratense* 470
Phragmothyrites cocaenica 136
Phycomyces blakesleeanus 193, 369
Phyllanthus reticulatus 527; *speciosus* 514
Physalis virginiana 37
Physarum polycephalum 154, 156, 158
Physopella fici, 79
Phytophthora cinnamomi 190; *erythroseptica* 244; var. *atropae* 244; *parasitica* 244–250
Phytophthora rot of Belladonna 244
Picea rubens 214, 221; *sitchensis* 236, 240, 241
Pichia alcoholophila 373; *belgica* 374, 375; *Dombrowskii* 374, 375
PIERCE, J. H., AND H. A. GLEASON: Two new species of *Hypericum* from Colombia 174
Pileolaria standleyi 72, 73; *clemensiae* 74; *pistaciae* 74
Pinus albicaulis 477; *banksiana* 36, 38, 40; *contorta* 236, 238, 240, 241; *monticola* 238, 240, 241; *ponderosa* 59; *strobus* 437
Piqueria standleyi 74, 77
Pistacia mexicana 74
Planera aquatica 226
Plant succession on abandoned fields in the central Wisconsin sand plain area 34
Plant succession on talus slopes in northern Idaho as influenced by slope exposure 473
Plantago lanceolata 515
Platanus aceroides 226; *occidentalis* 226; *orientalis* 513
Plectronia vulgaris 517
Pluchea foetida 486
Poa compressa 36, 37; *cuspidata* 224; *michauxi* 649; *pratensis* 470, 471; *prostrata* 649; *scoparia* 649; *texana* 649; *thalassica* 649
Podophyllum peltatum 224
Pollen, Germination of Maize 449
Pollen study of two bogs on Orcas Island, of the San Juan Islands, Washington 236
Polyalthia angustifolia 538
Polygonum acre 485, 486; *convolvulus* 36; *densiflorum* 485, 486
Polygonatum biflorum 224
Polypodium virginianum 226; *vulgare* 226
Polyploidy in *Sedum pulchellum*—I. Cytogeography 26
Polyploidy in *Sedum pulchellum*—II. Stomatal size and frequency 261
Polyporus versicolor 191, 192, 194, 195
Polystichum acrostichoides 222, 223
Populus grandidentata 38, 40; *trichocarpa* 238
PORTER, C. L.: A new species of *Sphaeralcea* from Mexico 531
Portulaca fosbergii 397; *grandiflora* 514; *lutea* 397; *oleracea* 397
Potentilla alba 513; *palustris* 237
PRATT, ROBERTSON: Influence of temperature on the infection of wheat by the powdery mildew, *Erysiphe graminis tritici* 378
Preliminary investigation of the North American canes (*Arundinaria*) 297
Primula Auricula 259; *obconica* 515
Prosopidium conjunctum 74
Psedera quinquefolia 436
Pseudomonas striata 4
Pseudelephantopus spicatus 395
Pseudotsuga taxifolia 59, 238, 240, 241, 477
Pterophacos pterocarpus 433; *tetrapterus* 433

Ptilimnium capillaceum 486
Ptychocarya macrocarpa 535
Pueraria Thomsonii 541; *Thunbergiana* 541
Puccinia alia 74; *berberidis-trifoliae* 70, 74; *cacao* 528; *cenchri* 527; *conoclinii* 74, 77; **cuilapensis** 74, 77; *degener*, 72, 74; *digitariae* 524; **dyschoristes** 72, 75, 76; *farinacea* 75; *fuirenae* 76; *gouaniaetiliaefoliae* 523; **hansfordiana** 523–525; *inaudita* 76; *kimurai* 529; *levis* 528; *oahuensis* 524, 525; *pappiana* 528; *paspalicola* 524; *proba* 76; *repentina* 76, 77; *ruelliae-bourgaei*, 76; *semota* 78; *senecionicola* 524; *spegazziniana* 77, 78; *subaquila* 78; *substriata* 526; *tubulosa* 524; **ugandana** 525; *vagans* 527
Pyrularia pubera 222, 227
Pythium debaryanum 248–250; *irregulare* 248–250; *ultimum* 248–250

Quercus alba 226; *calvertonensis* 226; *ellipsoidalis* 40; *garryana* 238; *macrocarpa* 40; *maxima* 221; *Michauxii* 226; *montana* 221; *palustris* 226; *prinus* 226; *velutina* 40, 226

Railliardia linearis 396; *lonchophylla* 396; *reticulata* 396; *scabra* 396
Ranunculus abortivus 225; *fascicularis* 225; *recurvatus* 224
Rapanea crassiramea 547, 548
Ravenelia bizonata 80; *brevispora* 527; *lonchocarpicola* 78; **mere** 78; *similis* 78
REEDER, JOHN R.: The status of *Distichlis dentata* 53
Relation of certain fungi to thiamine 190
Rhizophagites 131; **butleri** 128, 129, 131, 135; **minnnesotensis** 128, 129, 131
Rhamnella hainanensis 544; *rubrinervis* 544; **vitiensis** 544
Rhododendron lapponicum 399
Rhus glabra 38; *toxicodendron* 436, 486
Ribes lacustre 475; *viscossimum* 475
RICKETT, H. W.: The Inflorescence of *Crataegus* 489
ROBBINS, WILLIAM J., AND ROBERTA MA: Relation of certain fungi to thiamine 190
Robinia pseudoacacia 221
ROSENDAHL, C. O.: Some fossil fungi from Minnesota 126
Rubus betulifolius 485, 486; *canadensis* 222; *irasuensis* 73; *nigrobaccus* 222; *Zwerckheimii* 71
Rudbeckia laciniata 224
Ruellia amoena 389; *graecizans* 389; *ventricosa* 389
Rumex acetosella 36, 37
Rusts, Descriptions of tropical—V 68; —VI 517
Ruta graveolens 514
Rutidea rufipilis 519, 523
RYAN, FRANCIS J.: Crossing-over and second division segregation in fungi 605

Saccharodendron barbatum 220, 221
Saccharomyces bayanus 374; *validus* 374
Sacciolepis striata 485, 486
Sagittaria latifolia 486; *sagittifolia* 533
Saintpaulia icnantha 515
Salacia pachycarpa 542
Salix caprea 514; *nigra* 485, 486
Salvia gracilis 75; *mocinoi* 75; *myriantha* 75
Salvinia formosa 226; *natans* 226
Samanea Saman 540
Sambucus canadensis 486; *melanocarpa* 475; *pubens* 222
Sanicula europaea 233
Sarcina flava 4, 5
Sassafras albidum 436
Satureia eugenoides 66
Saururus cernuus 486
Scabiosa caucasica 515
Schizonotus argenteus 276, 278, 286; var. *alpestris* 288; var. *angustissimus* 284, 288; var. *dumosus* 281; var. *griseus* 288; var. *intermedius* 288; var. *mexicanus* 288; var. *Mutisianus* 286; *ariaefolius* 278; *discolor* 278; var. *dumosus* 281; var. *fissus* 284; var. *Purshianus* 278; *dumosus* 281
Schizosaccharomyces pombe 374, 375
Schrankia distachya 540, 541
Sciadotenia paraensis 404; *Sagotiana* 404; *solimoesana* 401
Scirpodendron costatum 534; *Ghaeri* 534
Scleria bracteata 81; *macrocarpa* 535
Scleropteris illinoiensis 120
Schomburgkia lyonsii 105, 106
Scopulariopsis brevicaulis 6
Scorpidium scorpioides 130
Section Sedastrum of *Sedum* 289
Sedastrum, section, of *Sedum* 289
Sedastrum chapalense 292; *ebracteatum* 290; *glabrum* 291; *Hemsleyanum* 295; *incertum* 292; *pachusense* 295; *Painteri* 295; *Palmeri* 292; *rubricaule* 290; *turgidum* 291
Sedum, Section Sedastrum of 289
Sedum barrancae 290; *chapalense* 290–291; *ebracteatum* 290, 291, 292; var. *rubricaule* 291; *glabrum* 290, 291, 292; *Hemsleyanum* 290, 295, 296; **Hintonii** 290, 292, 296; *incertum* 290, 292; *lini-*

folium 31; *nevii* 26, 30–32; *nuttallianum* 30–32; *pachucense* 295; *Painteri* 295; *pulchellum* 26–32; *rubricaule* 290; *ternatum* 29, 225; *vigilimontis* 31
Sedum pulchellum, polyploidy in 26, 261
Senebiera didyma 540
Senecio denticulatus 524; *fulgens* 515; *integerrimus* 477; *Rugelii* 225; *warscewiczii* 69
Separation of *Erigeron* from *Conyza* 629
Sequoia langsdorfii 136; *sempervirens* 336, 337, 341
Sequoiadendron giganteum 336, 337
Sericotheca argentea 286; *Boursieri* 282; *concolor* 283; *discolor* 278; *dumosa* 281; *fissa* 285; *franciscana* 279; *glabrescens* 284; *microphylla* 283; *obovata* 282; *pachydisca* 282; *saxicola* 282; *Schaffneri* 281; *velutina* 286
Serratia plymouthensis 4
Setaria lutescens 36
Shoot apices of *Athrotaxis* and *Taiwania* 335
Shortia galacifolia 515
Sisyrinchium micranthum 535
SLIPP, A. W., AND R. F. DAUBENMIRE: Plant succession on talus slopes in northern Idaho as influenced by slope exposure 473
Smilax hispida 222; *Walteri* 486
SMITH, A. C.: Studies on Pacific Island Plants—III. New and noteworthy flowering plants from Fiji 533
SMITH, HARRIET E.: Polyploidy in *Sedum pulchellum*—II. Stomatal size and frequency 261
Solanum Dulcamara 515
Solenostigma paniculatum 536
Solidago altissima 395; *axillaris* 225; *Curtisii* 222–224
Some fossil fungi from Minnesota 126
Sorbus occidentalis 475
Sparganium curycarpum 127
Spergularia marina 388; *salina* 388
Sphaeralcea, a new species of from Mexico 531
Sphaeralcea emoryi variabilis 532; **procera** 531, 532
Sphaerella lacustris 559
Spinacia oleracea, C-mitosis in 457–465
Spiraea argentea 275, 285, 286; *ariaefolia* 276, 278, 289; *Boursieri* 282; *discolor* 275, 278, 279; var. *ariaefolia* 278; var. *dumosa* 281; var. *glabrescens* 284; *douglasii* 236; *dumosa* 279, 281; *fissa* 284; *Lindleyana* 275; *mexicana* 288
Sporotrichon schenki 376
Stachyurus, the genus 615–628
Stachyurus chinensis 507, 616, 618, 619, 625–628; var. **cuspidatus** 618, 619, 627, 628; var. **latus** 618, 619, 627, 628; *cordatulus* 617, 619, 621; *Duclouxii* 625; *Esquirolii* 618; *japonicus* 624; *himalaicus* 615–619, 621–623, 627; *lancifolius* 617, 619, 623; *macrocarpus* 617, 619, 629 var. *prunifolius* 617, 624; *Matsuzaki* 617, 619, 623, 628; *Nishimura* 624; **obovatus** 615, 617, 619, 620; *ovalifolius* 618, 628; *praecox* 615–617, 619, 622, 625, 626, 628; *retusus* 618, 619, 627; *salicifolius* 617, 619, 620; *Sigeyosii* 622; *yunnanensis* 505, 507, 615, 617–620; var. *obovata* 620; var. *pedicellatus* 617–619
Statice limonium 530; *sinuata* 530; *spicatum* 529, 530
Status of certain anomalous native crabapples in eastern United States 418
Status of *Distichlis dentata* 53
Stellaria holstea 233
Stenactis speciosa 268
Sticta pulmonaria 147
Structure and development of the shoot apex of *Ephedra altissima* Desf. 15
Studies on Pacific Island plants—III. New and noteworthy flowering plants from Fiji 533
Supplementary notes on American Menispermaceae—III 400
Supplementary notes on the American species of *Erythrina*—II 633
Svida alternifolia 221
Swartzia montana 130, 134
Symplocas tinctoria 515
Syndesmon thalictroides 225

Taenidia integerrima 225
Taiwania cryptomerioides 337–347
Talinum paniculatum 537; *patens* 537; *triangulare* 68
Tamarix pentandra 514
Taraxacum kok-saghyz, Macrosporogenesis, fertilization and early embryology of 164
Taraxacum kok-saghyz 164–172; *officinale* 164
Tauschia Ehrenbergii 58; **Johnstoniana** 58; *Stricklandi* 58; *texana* 58
Taxodium distichum 20, 23, 226, 336, 485, 486; *dubium* 226
Taxonomic revision of the genus *Holodiscus* (Rosaceae) 275
Taxonomy of the monogeneric tribe Elvasieae (Ochnaceae) 42

Telitoxicum inopinatum 402
The tertiary character of the cove hardwood forests of the Great Smoky Mountains National Park 213
Tessenia glabella 273; var. *subdiscoidea* 274
Thalictrum dioicum 225
Thamnolia vermicularis 148
Thelypteris palustris 486
Theobroma Cacao 514
Theophrasta Jussieui 515
Thiamine, Relation of certain fungi to 190
Thielavia brasicola 244
THOMSON, JOHN W., JR.: Plant succession on abandoned fields in the central Wisconsin sand plain area 34
Thuja heterophylla 240, 241; *plicata* 237
Tiarella cordifolia 222, 224
Tilia americana 226; *jacksoniana* 226; *neglecta* 220, 221; *tomentosa* 514
Tillandsia usneoides 486
Timonius kajewskii 393; *smithii* 393
Tium Drummondii 433; *racemosum* 433; *palans* 433
Torulopsis dattila 374; *molischiana* 374; *sphaerica* 374, 375
Tovara virginiana 224
Tracy Elliot Hazen 559
Trichophyton acuminatum 376; *discoides* 376; *faviforme* 376; *mentagrophytes* 376; *rubrum* 376; *sulphureum* 376; *violaceum* 376
Trichothyrites pleistocaenica 133, 135, 137
Trichovalesia canescens 46
Trillium erectum var. *album* 224; *grandiflorum* 225
Trinomial typicus, What is the?—I 310; II 406
Tripsacum dactyloides 470
Triticum vulgare 384
Tritonia crocosmiaeflora 535
Trollius laxus 513
Tsuga canadensis 220, 221; *heterophylla* 236
Tulipastrum acuminatum 221
Two new species of *Hypericum* from Colombia 174
Typha latifolia 485, 486
Typicus, What is the trinomial?—I 310; II 406

Ulmus alata 226; *basicordata* 226
Umbelliferae, New North American—II 58
Uniola distichophylla 649; *maritima*, 649; *palmeri* 649; *spicata* 649; *stricta* 638, 645, 649
Uraria lagopodioides 523
Uredo cenchricola 527; **cissicola** 527; **colubrinae** 79; *digitariaecola* 524; **entandophragmae** 527; *eragrostidicola* 528; *erythrinae* 79; **eulaliae-fulvae** 529; *ficina* 79; **kigeziensis** 527; *machaerii* 79; **machaeriicola** 79; *melinidis* 528; **mira** 528; **morobeana** 528, 529; *muehlenbeckiae* 80; **obnixa** 80; *obvoluta* 80; *pusilla* 79; **quichensis** 80; *reisseckiae* 79; *rottboellii* 528
Uromyces calopogonii 80, 81; *comedens* 526; *congoensis* 530; *floralis* 530; *goyazensis* 530; *hobsoni* 526; *limonii* 530; **natrassii** 529, 530; *pustulatus* 525, 530; *rhodesicus* 530; *scleriae* 81; *staticesmucronatae* 530
Uropyxis diphysae 81
Urticastrum divaricatum 222–224
Usnea barbata 142; *ceratina* 142; *diffrata* 142; *japonica* 146
Utricularia biflora 486; *bryophylla* 252; *cornuta* 252, 259; *gibba* 486; *montana* 252, 256–259

Vaccinium arboreum 226; *corymbosum* 515
Vagnera racemosa 225
Validallium tricoccum 224
Vaselia quinqueloba 45
Vaseyochloa multinervosa 649
Veratrum viride 224
Viburnum lantanoides 222; *scabrellum* 486
VILKOMERSON, HILDA: Chromosomes of *Astragalus* 430
Viola blanda 222, 224; *canadensis* 92, 96, 97, 100, 101, 103, 224; *conspersa* 102; *cucullata* 225; *eriocarpa* 225; *hastata* 224; *odorata* 92, 95, 97–103; *pallens* 225; *papilionacea* 93, 94, 96, 98–103; *Riviniana* 102; *rostrata* 224; *rotundifolia* 225; *sororia* 222, 224; *striata* 92, 97–103; *tricolor* 94–103; var. *florairensis* 92; var. *lutea* 92
Viola, Experiments in the grafting of species in the genus 91
Vitamin deficiencies of fifty yeasts and molds 372
Vitis aestivalis 222, 436; *bicolor* 436; *labrusca* 436; *vulpina* 436

Wallia cinerea 221
WARMKE, H. E.: Macrosporogenesis, fertilization and early embryology of *Taraxacum kok-saghyz* 164
Wedelia acapulcensis 76, 68; *filipes* 76
What is the trinomial typicus?—I 310; II 406

Wheat germ oil, A new constituent in 599
WITKUS, E. R., AND C. A. BERGER: A cytological study of c-mitosis in the polysomatic plant *Spinacia oleracea*, with comparative observations on *Allium cepa* 457
WOLF, FRED T.: Microbiology of the upper air 1
Wolffiella floridana 485, 486
Woodwardia areolata 486; *virginica* 486

Xenatrum umbellatum 225
Xerophyllum tenax 475, 477, 478
Xylophacos Casei 433
Xylopia pacifica 538, 539; *vitiensis* 539
Xylosoma Archboldianum 546; **Bryanii** 545, 546
Xyris communis 486

YUNCKER, T. G.: Nomenclatural changes in the genus *Cuscuta* and notes on some American species 61

Zanichellia palustris 127
Zea mays 449–456
Zizia Bebbii 225
Zygopetalum mackayii 112